

| | | | | | | |
|---|--|--|--|----------------------------------|------------------------|-----------------|
| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: UCSD-04871 | Serial No.: 09/724,586 | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use Several Sheets If Necessary)</i> (37 CFR § 1.98(b)) | | | | Applicant: Roman Sakowicz et al. | | |
| | | | | Filing Date: 11/28/00 | | Group Art Unit: |

U.S. PATENT DOCUMENTS

| Examiner Initials | Cite No. | Serial / Patent Number | Issue Date | Applicant / Patente | Class | Subclass | Filing Date |
|-------------------|----------|------------------------|------------|---------------------|-------|----------|-------------|
| | 1 | 4,366,241 | 12/28/82 | Tom | 435 | 7.91 | 8/7/80 |
| | 2 | 4,376,110 | 3/8/83 | David | 435 | 5 | 8/4/80 |
| | 3 | 4,391,904 | 7/5/83 | Litman | 435 | 7.91 | 4/17/81 |
| | 4 | 4,469,863 | 9/4/84 | Ts'o | 536 | 24.5 | 11/12/80 |
| | 5 | 4,517,288 | 5/14/85 | Giegel | 435 | 5 | 1/23/81 |
| | 6 | 4,683,195 | 7/28/87 | Mullis | 435 | 6 | 2/7/86 |
| | 7 | 4,683,202 | 7/28/87 | Mullis | 435 | 91.2 | 10/25/85 |
| | 8 | 4,736,866 | 4/12/88 | Leder | 800 | 10 | 6/22/84 |
| | 9 | 4,816,567 | 3/28/89 | Cabilly | 530 | 387.3 | 4/8/83 |
| | 10 | 4,837,168 | 6/6/89 | de Jaeger | 436 | 533 | 12/15/86 |
| | 11 | 4,870,009 | 9/26/89 | Evans | 435 | 69.4 | 15/15/83 |
| | 12 | 5,034,506 | 7/23/91 | Summerton | 528 | 391 | 12/20/89 |
| | 13 | 5,216,141 | 6/1/93 | Benner | 536 | 27.13 | 6/6/88 |
| | 14 | 5,235,033 | 8/10/93 | Summerton | 528 | 391 | 12/20/89 |
| | 15 | 5,283,173 | 2/1/94 | Fields | 435 | 6 | 1/24/90 |
| | 16 | 5,386,023 | 1/31/95 | Sanghvi | 536 | 25.3 | 3/31/93 |
| | 17 | 5,468,614 | 11/21/95 | Fields | 435 | 6 | 1/1/94 |
| | 18 | 5,525,490 | 6/11/96 | Erickson | 435 | 9 | 3/29/94 |
| | 19 | 5,545,806 | 8/13/96 | Lonberg | 800 | 6 | 12/16/92 |
| | 20 | 5,545,807 | 8/13/96 | Surani | 800 | 6 | 8/5/94 |
| | 21 | 5,569,825 | 10/29/96 | Lonberg | 800 | 18 | 12/17/91 |
| | 22 | 5,602,240 | 2/11/97 | De Mesmaeker | 536 | 22.1 | 4/25/94 |
| | 23 | 5,625,126 | 4/29/97 | Lonberg | 800 | 18 | 12/7/94 |
| | 24 | 5,633,425 | 5/27/97 | Lonberg | 800 | 18 | 2/5/92 |
| | 25 | 5,637,463 | 6/10/97 | Dalton | 435 | 6 | 5/4/95 |
| | 26 | 5,637,684 | 6/10/97 | Cook | 536 | 23.1 | 2/23/94 |
| | 27 | 5,644,048 | 7/1/97 | Yau | 536 | 25.3 | 12/18/92 |
| | 28 | 5,661,016 | 8/26/97 | Lonberg | 435 | 452 | 4/26/93 |
| | 29 | 5,667,973 | 9/16/97 | Fields | 435 | 6 | 6/7/95 |


FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS

| | | Document Number | Publication Date | Country / Patent Office | Class | Subclass | Translation | |
|--|----|-----------------|------------------|-------------------------|--------|----------|-------------|----|
| | | | | | | | Yes | No |
| | 30 | 93/08829 | 5/13/93 | WO | A61K37 | 04 | | |
| | 31 | 95/18857 | 7/13/95 | WO | 612N15 | 12 | | |

Examiner:

Date Considered:

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | | | | | | | |
|---|---|---|--|--|---|--|------------------------|--|--|
| FORM PTO-1449 (Modified) | | | U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: UCSD-04871 | | Serial No.: 09/724,586 | | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT <small>Please Several Sheets If Necessary</small> | | | | | Applicant: Roman Sakowicz <i>et al.</i> | | | | |
| (37 CFR § 1.98(b)) | | | | | Filing Date: 11/28/00 | | Group Art Unit: | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | | | | | | |
| | 32 | Akerstrom <i>et al.</i> , "Protein G: a powerful tool for binding and detection of monoclonal and polyclonal antibodies," <i>J Immunol.</i> 135:2589-92 (1985); | | | | | | | |
| | 33 | Altschul <i>et al.</i> , "Basic local alignment search tool," <i>J Mol Biol.</i> 215:403-10 (1990); | | | | | | | |
| | 34 | Asai (ed.), <i>Methods in Cell Biology</i> Volume 37 San Diego: Academic Press (1993) not supplied; | | | | | | | |
| | 35 | Ausubel <i>et al.</i> (eds.) <i>Current Protocols in Molecular Biology</i> New York: Wiley (1994) not supplied; | | | | | | | |
| | 36 | Batzer <i>et al.</i> , "Enhanced evolutionary PCR using oligonucleotides with inosine at the 3'-terminus," <i>Nucleic Acids Res.</i> 19:5081 (1991); | | | | | | | |
| | 37 | Beaucage and Caruthers, "Optimistic about antisense," <i>Tetrahedron Lett.</i> 22:1859-1862 (1981); | | | | | | | |
| | 38 | Beaucage and Iyer, "The functionalization of oligonucleotides via phosphoramidite derivatives," <i>Tetrahedron</i> 49:1925 (1993); | | | | | | | |
| | 39 | Benton and Davis, "Screening lambda gt recombinant clones by hybridization to single plaques in situ," <i>Science.</i> 196:180-2 (1977); | | | | | | | |
| | 40 | Boerner <i>et al.</i> , "Production of antigen-specific human monoclonal antibodies from in vitro-primed human splenocytes," <i>J Immunol.</i> 147:86-95 (1991); | | | | | | | |
| | 41 | Bradley, "Production and analysis of chimeric mice," in <i>Teratocarcinomas and Embryonic Stem Cells: A Practical Approach</i> Robertson (ed.) Oxford: IRL Press Limited, pp. 113-152 (1987); | | | | | | | |
| | 42 | Brill <i>et al.</i> , "Synthesis of oligodeoxynucleoside phosphorodithioates via thioamidites," <i>J Am Chem Soc</i> 111:2321-2322 (1989); | | | | | | | |
| | 43 | Chien <i>et al.</i> , "The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest," <i>Proc Natl Acad Sci U S A.</i> 88:9578-82 (1991); | | | | | | | |
| | 44 | Clark-Curtiss and Curtiss, "Analysis of recombinant DNA using <i>Escherichia coli</i> minicells," in <i>Methods Enzymol.</i> Wu et al., (eds.) 101:347-62 (1983); | | | | | | | |
| | 45 | Cole <i>et al.</i> , "The EBV-hybridoma technique and its application to human lung cancer," in <i>Monoclonal Antibodies and Cancer Therapy</i> , Reisfeld et al. (eds.), pp. 77-96, Alan R. Liss, Inc. (1985); | | | | | | | |
| | 46 | Colley <i>et al.</i> , "Conversion of a Golgi apparatus sialyltransferase to a secretory protein by replacement of the NH ₂ -terminal signal anchor with a signal peptide," <i>J Biol Chem.</i> 264:17619-22 (1989); | | | | | | | |
| | 47 | Coligan (ed.), <i>Current Protocols in Immunology</i> , New York : Greene Publishing Associates and Wiley-Interscience (1991) not supplied; | | | | | | | |
| | 48 | Dang <i>et al.</i> , "Intracellular leucine zipper interactions suggest c-Myc hetero-oligomerization," <i>Mol Cell Biol.</i> 11:954-62 (1991); | | | | | | | |
| | 49 | DeMesmaeker <i>et al.</i> , "Comparison of rigid and flexible backbones in antisense oligonucleotides," <i>Bioorganic and Medicinal Chem Lett</i> 4:395-398 (1994); | | | | | | | |
| | 50 | Dempcy <i>et al.</i> , "Synthesis of a thymidyl pentamer of deoxyribonucleic guanidine and binding studies with DNA homopolynucleotides," <i>Proc Natl Acad Sci U S A.</i> 92:6097-101 (1995); | | | | | | | |
| | 51 | Deutscher (ed.) <i>Methods in Enzymology</i> vol. 182, San Diego : Academic Press, Inc. (1990) not supplied; | | | | | | | |
| | 52 | Eckstein (ed.) <i>Oligonucleotides and Analogues: A Practical Approach</i> , New York: IRL Press (1991) not supplied; | | | | | | | |
| | 53 | Egholm <i>et al.</i> , "Peptide nucleic-acids (pna) : oligonucleotide analogs with an achiral peptide backbone," <i>J Am Chem Soc</i> 114:1895-1897 (1992); | | | | | | | |
| | 54 | Fearon <i>et al.</i> , "Karyoplasmic interaction selection strategy: a general strategy to detect protein-protein interactions in mammalian cell," <i>Proc Natl Acad Sci U S A.</i> 89:7958-62 (1992); | | | | | | | |
| | 55 | Feng and Doolittle, "Progressive sequence alignment as a prerequisite to correct phylogenetic trees," <i>J Mol Evol.</i> 25:351-60 (1987); | | | | | | | |
| | 56 | Fields and Song, "A novel genetic system to detect protein-protein interactions," <i>Nature.</i> 340:245-6 (1989); | | | | | | | |
| | 57 | Fishwild <i>et al.</i> , "High-avidity human IgG kappa monoclonal antibodies from a novel strain of minilocus transgenic mice," <i>Nat Biotechnol.</i> 14:845-51 (1996); | | | | | | | |
| | 58 | Gao and Jeffs, "Unusual conformation of a 3'-thioformacetal linkage in a DNA duplex," <i>J Biomol NMR.</i> 4:17-34 (1994); | | | | | | | |
| | 59 | Godding, <i>Monoclonal Antibodies: Principles and Practice</i> , 2nd edition, Orlando: Academic Press (1986) not supplied; | | | | | | | |
| Examiner: |  | | Date Considered: 9/2000 | | | | | | |
| EXAMINER: | Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | | |

| | | | | | | |
|---|--|--|--|----------------|---|------------------------|
| FORM PTO-1449 (Modified) | | | U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: UCSD-04871 | Serial No.: 09/724,586 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) (37 CFR § 1.98(b)) | | | | | Applicant: Roman Sakowicz <i>et al.</i> | |
| | | | | | Filing Date: 11/28/00 | Group Art Unit: |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | | | |
| 60 | Grunstein and Hogness, "Colony hybridization: a method for the isolation of cloned DNAs that contain a specific gene," <i>Proc Natl Acad Sci U S A</i> 72:3961-5 (1975); | | | | | |
| 61 | Gubler and Hoffman, "A simple and very efficient method for generating cDNA libraries," <i>Gene</i> 25(2-3):263-9 (1983); | | | | | |
| 62 | Haase <i>et al.</i> , "Detection of viral nucleic acids by in situ hybridization," <i>Methods in Virology</i> 7:189-226 (1984); | | | | | |
| 63 | Hackney <i>et al.</i> , "Nucleotide-free kinesin hydrolyzes ATP with burst kinetics," <i>J Biol Chem</i> 264:15943-8 (1989); | | | | | |
| 64 | Hames and Higgins (eds.) <i>Nucleic Acid Hybridisation: A Practical Approach</i> Washington, DC : IRL Press (1987) not supplied; | | | | | |
| 65 | Harlow and Lane, <i>Antibodies, A Laboratory Manual</i> Cold Spring Harbor, NY : Cold Spring Harbor Laboratory (1988) not supplied; | | | | | |
| 66 | Henikoff and Henikoff, "Amino acid substitution matrices from protein blocks," <i>Proc Natl Acad Sci U S A</i> 89:10915-9 (1992); | | | | | |
| 67 | Higgins and Sharp, "Fast and sensitive multiple sequence alignments on a microcomputer," <i>Comput Appl Biosci</i> 5(2):151-3 (1989); | | | | | |
| 68 | Hoogenboom and Winter, "By-passing immunisation. Human antibodies from synthetic repertoires of germline VH gene segments rearranged in vitro," <i>J Mol Biol</i> 227:381-8 (1992); | | | | | |
| 69 | Horn <i>et al.</i> , "Oligonucleotides with alternating anionic and cationic phosphoramidate linkages: Synthesis and hybridization of stereo-uniform isomers," <i>Tetrahedron Letters</i> 37:743-746 (1996); | | | | | |
| 70 | Howard <i>et al.</i> , in <i>Motility Assays for Motor Proteins</i> Scholey (ed.) San Diego: Academic Press, pp. 105-113 (1993); | | | | | |
| 71 | Huse <i>et al.</i> , "Generation of a large combinatorial library of the immunoglobulin repertoire in phage lambda," <i>Science</i> 246:1275-8 (1989); | | | | | |
| 72 | Hyman <i>et al.</i> , "Preparation of modified tubulins," <i>Methods Enzymol</i> 196:478-85 (1991); | | | | | |
| 73 | Innis <i>et al.</i> (eds.), <i>PCR Protocols: A Guide to Methods and Applications</i> San Diego: Academic Press (1990) not supplied; | | | | | |
| 74 | Jenkins and Turner, "The biosynthesis of carbocyclic nucleosides," <i>Chem Soc Rev</i> 24:169-176 (1995); | | | | | |
| 75 | Jones <i>et al.</i> , "Replacing the complementarity-determining regions in a human antibody with those from a mouse," <i>Nature</i> 321:522-5 (1986); | | | | | |
| 76 | Jung <i>et al.</i> , "Hybridization of alternating cationic/anionic oligonucleotides to rna segments," <i>Nucleosides & Nucleotides</i> 13:1597-1605 (1994); | | | | | |
| 77 | Karin and Altschul, "Applications and statistics for multiple high-scoring segments in molecular sequences," <i>Proc Natl Acad Sci U S A</i> 90:5873-7 (1993); | | | | | |
| 78 | Kishino and Yanagido, "Force measurements by micromanipulation of a single actin filament by glass needles," <i>Nature</i> 334:74-6 (1988); | | | | | |
| 79 | Kodama <i>et al.</i> , "The initial phosphate burst in ATP hydrolysis by myosin and subfragment-1 as studied by a modified malachite green method for determination of inorganic phosphate," <i>J Biochem (Tokyo)</i> 99:1465-72 (1986); | | | | | |
| 80 | Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity," <i>Nature</i> 256:495-7 (1975); | | | | | |
| 81 | Kohler and Milstein, "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion," <i>Eur J Immunol</i> 6:511-9 (1976); | | | | | |
| 82 | Kriegler, <i>Gene Transfer and Expression: A Laboratory Manual</i> New York: W. H. Freeman (1990) not supplied; | | | | | |
| 83 | Kronvall, "A surface component in group A, C, and G streptococci with non-immune reactivity for immunoglobulin G," <i>J Immunol</i> 111:1401-6 (1973); | | | | | |
| 84 | Letsinger and Mungall, "Phosphoramidate analogs of oligonucleotides," <i>J Org Chem</i> 35:3800-3 (1970); | | | | | |
| 85 | Letsinger <i>et al.</i> , "Effects of pendant groups at phosphorus on binding properties of d-ApA analogue," <i>Nucleic Acids Res</i> 14:3487-99 (1986); | | | | | |
| 86 | Letsinger <i>et al.</i> , "Cationic oligonucleotides," <i>J Am Chem Soc</i> 110:4470 (1988); | | | | | |
| 87 | Li <i>et al.</i> , "Targeted mutation of the DNA methyltransferase gene results in embryonic lethality," <i>Cell</i> 69:915-26 (1992); | | | | | |
| 88 | Lombillo <i>et al.</i> , "Antibodies to the kinesin motor domain and CENP-E inhibit microtubule depolymerization-dependent motion of chromosomes in vitro," <i>J Cell Biol</i> 128:107-15 (1995); | | | | | |
| 89 | Lonberg and Huszar, "Human antibodies from transgenic mice," <i>Int Rev Immunol</i> 13:65-93 (1995) not supplied; | | | | | |
| Examiner: | <i>[Signature]</i> | | Date Considered: | <i>9/20/02</i> | | |
| EXAMINER: | Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |

| | | | | | | | | |
|---|-----|---|--|---------------------------------|---|--|------------------------|--|
| FORM PTO-1449 (Modified) | | | U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: UCSD-04871 | | Serial No.: 09/724,586 | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) (37 CFR § 1.98(b)) | | | | | Applicant: Roman Sakowicz <i>et al.</i> | | | |
| | | | | | Filing Date: 11/28/00 | | Group Art Unit: | |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | | | | | |
| | 90 | Lonberg <i>et al.</i> , "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," <i>Nature</i> 368:856-9 (1994); | | | | | | |
| | 91 | Mag <i>et al.</i> , "Synthesis and selective cleavage of an oligodeoxynucleotide containing a bridged internucleotide 5'-phosphorothioate linkage," <i>Nucleic Acids Res</i> 19:1437-41 (1991); | | | | | | |
| | 92 | Maggio (ed.) <u>Enzyme Immunoassay</u> Boca Raton, FL: CRC Press (1980) not supplied; | | | | | | |
| | 93 | Marks <i>et al.</i> , "By-passing immunization. Human antibodies from V-gene libraries displayed on phage," <i>J Mol Biol</i> 222:581-97 (1991); | | | | | | |
| | 94 | Marks <i>et al.</i> , "By-passing immunization: Building high affinity human antibodies by chain shuffling," <i>Biotechnology</i> 10:779-83 (1992); | | | | | | |
| | 95 | Meier and Engels, "Peptide nucleic-acids (pnas) : unusual properties of nonionic oligonucleotide analogs," <i>Angewandte Chemie (Int Ed Engl)</i> 31:1008-1010 (1992); | | | | | | |
| | 96 | Milstein and Cuello, "Hybrid hybridomas and their use in immunohistochemistry," <i>Nature</i> 305:537-40 (1983); | | | | | | |
| | 97 | Monroe <i>et al.</i> , <u>Amer Clin Prod Rev</u> 5:34-41 (1986) not supplied; | | | | | | |
| | 98 | Morrison, "Transformation in <i>Escherichia coli</i> : cryogenic preservation of competent cells," <i>J Bacteriol</i> 132:349-51 (1977); | | | | | | |
| | 99 | Morrison, "Immunology. Success in specification," <i>Nature</i> 368:812-3 (1994); | | | | | | |
| | 100 | Mosbach <i>et al.</i> , "Formation of proinsulin by immobilized <i>Bacillus subtilis</i> ," <i>Nature</i> 302:543-5 (1983); | | | | | | |
| | 101 | Nazar and Wong, "Is the 5S RNA a primitive ribosomal sequence?" <i>Proc Natl Acad Sci U S A</i> 82:5608-11 (1985); | | | | | | |
| | 102 | Needham-VanDevanter <i>et al.</i> , "Characterization of an adduct between CC-1065 and a defined oligodeoxynucleotide duplex," <i>Nucleic Acids Res</i> 12:6159-68 (1984); | | | | | | |
| | 103 | Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence of two proteins," <i>J Mol Biol</i> 48:443-53 (1970); | | | | | | |
| | 104 | Neuberger, "Generating high-avidity human Mabs in mice," <i>Nat Biotechnol</i> 14:826 (1996); | | | | | | |
| | 105 | Ohtsuka <i>et al.</i> , "An alternative approach to deoxyoligonucleotides as hybridization probes by insertion of deoxyinosine at ambiguous codon positions," <i>J Biol Chem</i> 260:2605-8 (1985); | | | | | | |
| | 106 | Palva <i>et al.</i> , "Secretion of interferon by <i>Bacillus subtilis</i> ," <i>Gene</i> 22:229-35 (1983); | | | | | | |
| | 107 | Paul (ed.) <u>Fundamental Immunology</u> 3rd edition, New York: Raven Press (1993) not supplied; | | | | | | |
| | 108 | Pauwels <i>et al.</i> , "Biological-activity of new 2'-sa analogs," <i>Chemica Scripta</i> 26:141-145 (1986); | | | | | | |
| | 109 | Pearson and Lipman, "Improved tools for biological sequence comparison," <i>Proc Natl Acad Sci U S A</i> 85:2444-8 (1988); | | | | | | |
| | 110 | Pearson and Reanier, "High-performance anion-exchange chromatography of oligonucleotides," <i>J Chrom</i> 255:137-149 (1983); | | | | | | |
| | 111 | Presta, "Antibody engineering," <i>Curr Opin Struct Biol</i> 2:593-596 (1992); | | | | | | |
| | 112 | Rawls, "Optimistic about antisense," <i>Chemical & Engineering News</i> 75:35-39 (1997); | | | | | | |
| | 113 | Riechmann <i>et al.</i> , "Reshaping human antibodies for therapy," <i>Nature</i> 332:323-7 (1988); | | | | | | |
| | 114 | Rossolini <i>et al.</i> , "Use of deoxyinosine-containing primers vs degenerate primers for polymerase chain reaction based on ambiguous sequence information," <i>Mol Cell Probes</i> 8:91-8 (1994); | | | | | | |
| | 115 | Sambrook <i>et al.</i> (eds.), <u>Molecular Cloning: A Laboratory Manual</u> 2nd edition, New York: Cold Spring Harbor Laboratory (1989) not supplied; | | | | | | |
| | 116 | Sanghvi and Cook-(eds.) <u>Carbohydrate Modifications in Antisense Research</u> , ASC Symposium Series 580, Washington, DC: ACS Publications (1994) not supplied; | | | | | | |
| | 117 | Sawai, "Synthesis and properties of oligoadenylic acids containing 2'-5' phosphoramido-linkage," <i>Chem Lett</i> pp.805-808 (1984) not supplied; | | | | | | |
| | 118 | Singer <i>et al.</i> , "Optimization of in situ hybridization using isotopic and non-isotopic detection methods," <i>Biotechniques</i> 4:230-250 (1986); | | | | | | |
| | 119 | Smith and Waterman, "Comparison of biosequences," <i>Adv Appl Math</i> 2:482 (1981); | | | | | | |
| Examiner: <i>[Signature]</i> | | | | Date Considered: <i>7/20/02</i> | | | | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | | |

| | | | |
|---|--|---|------------------------|
| FORM PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney Docket No.: UCSD-04871 | Serial No.: 09/724,586 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT <small>Using Separate Sheets If Necessary</small> | | Applicant: Roman Sakowicz <i>et al.</i> | |
| (37 CFR § 1.98(b)) | | Filing Date: 11/28/00 | Group Art Unit: |

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

| | | |
|---|-----|--|
| ✓ | 120 | Sprinzel <i>et al.</i> , "Enzymatic incorporation of ATP and CTP analogues into the 3' end of tRNA," <i>Eur J Biochem</i> 81:579-89 (1977); |
| ✓ | 121 | Stewart <i>et al.</i> , "Direction of microtubule movement is an intrinsic property of the motor domains of kinesin heavy chain and Drosophila ncd protein," <i>Proc Natl Acad Sci U S A</i> 90:5209-13 (1993); |
| ✓ | 122 | Stites and Terr (eds.) <u>Basic and Clinical Immunology</u> 7th edition, Norwalk: Appleton and Lange (1991) not supplied; |
| ✓ | 123 | Suresh <i>et al.</i> , "Bispecific monoclonal antibodies from hybrid hybridomas," <i>Methods Enzymol</i> 121:210-28 (1986); |
| ✓ | 124 | Thomas and Capecchi, "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells," <i>Cell</i> 51:503-12 (1987); |
| | 125 | Tijssen, <u>Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization with Nucleic Acid Probes</u> Vol. 24, Amsterdam: Elsevier (1993) not supplied; |
| ✓ | 126 | Traunecker <i>et al.</i> , "Bispecific single chain molecules (Janusins) target cytotoxic lymphocytes on HIV infected cells," <i>EMBO J</i> 10:3655-9 (1991); |
| ✓ | 127 | Vale <i>et al.</i> , "Identification of a novel force-generating protein, kinesin, involved in microtubule-based motility," <i>Cell</i> 42:39-50 (1985); |
| ✓ | 128 | Vasavada <i>et al.</i> , "A contingent replication assay for the detection of protein-protein interactions in animal cells," <i>Proc Natl Acad Sci U S A</i> 88:10686-90 (1991); |
| ✓ | 129 | Verhoeyen <i>et al.</i> , "Reshaping human antibodies: grafting an antilysozyme activity," <i>Science</i> 239:1534-6 (1988); |
| ✓ | 130 | Vonkiedrowski <i>et al.</i> , "Parabolic growth of a self-replicating hexadeoxynucleotide bearing a 3',5'-phosphoamidate linkage," <i>Angewandte Chemie-International Edition in English</i> 30:423-426 (1991); |
| ✓ | 131 | Wallace <i>et al.</i> , "A set of synthetic oligodeoxyribonucleotide primers for DNA sequencing in the plasmid vector pBR322," <i>Gene</i> 16:21-6 (1981); |
| | 132 | Ward <i>et al.</i> , "Binding activities of a repertoire of single immunoglobulin variable domains secreted from <i>Escherichia coli</i> ," <i>Nature</i> 341(6242):544-6 (1989); |
| | 133 | Webster, <u>Introduction to Fungi</u> Cambridge: Cambridge University Press (1970) not supplied; |
| ✓ | 134 | Zamecnik <i>et al.</i> , "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous synthetic oligonucleotides complementary to viral RNA," <i>Proc Natl Acad Sci U S A</i> 83:4143-6 (1986) |
| | 135 | Aizawa <i>et al.</i> , "Kinesin family in murine central nervous system," <i>J Cell Biol.</i> 119:1287-96 (1992) |
| | 136 | Alphey <i>et al.</i> , "KLP38B: a mitotic kinesin-related protein that binds PP1," <i>J Cell Biol.</i> 138:395-409 (1997) |
| | 137 | Blangy <i>et al.</i> , "Phosphorylation by p34cdc2 protein kinase regulates binding of the kinesin-related motor HsEg5 to the dynactin subunit p150," <i>J Biol Chem</i> 272:19418-24 (1997) |
| | 138 | Furlong <i>et al.</i> , "Characterization of a kinesin-related gene ATSV, within the tuberous sclerosis locus (TSC1) candidate region on chromosome 9Q34," <i>Genomics</i> 33:421-9 (1996) |
| | 139 | Goldstein, "With apologies to scheherazade: tails of 1001 kinesin motors," <i>Annu Rev Genet.</i> 27:319-51 (1993) |
| | 140 | Li <i>et al.</i> , "Kinesin-73 in the nervous system of Drosophila embryos," <i>Proc Natl Acad Sci U S A</i> 94:1086-9 (1997) |
| | 141 | Nangaku <i>et al.</i> , "KIF1B, a novel microtubule plus end-directed monomeric motor protein for transport of mitochondria," <i>Cell</i> 79:1209-20 (1994) |
| | 142 | O'Connell <i>et al.</i> , "Suppression of the bimC4 mitotic spindle defect by deletion of klpA, a gene encoding a KAR3-related kinesin-like protein in <i>Aspergillus nidulans</i> ," <i>J Cell Biol.</i> 120:153-62 (1993) |
| | 143 | Okada <i>et al.</i> , "The neuron-specific kinesin superfamily protein KIF1A is a unique monomeric motor for anterograde axonal transport of synaptic vesicle precursors," <i>Cell</i> 81:769-80 (1995) |
| | 144 | Oppenheimer <i>et al.</i> , "Essential role of a kinesin-like protein in <i>Arabidopsis</i> trichome morphogenesis," <i>Proc Natl Acad Sci U S A</i> 94:6261-6 (1997) |
| | 145 | Otsuka <i>et al.</i> , "The <i>C. elegans</i> unc-104 gene encodes a putative kinesin heavy chain-like protein," <i>Neuron</i> 6:113-22 (1991) |

| | |
|---|--------------------------------|
| Examiner: <i>[Signature]</i> | Date Considered: <i>9/2002</i> |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | | | |
|---|---|--|---------------------------------|------------------------|
| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | Attorney Docket No.: UCSD-04871 | Serial No.: 09/724,586 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) (37 CFR § 1.98(b)) | | Applicant: Roman Sakowicz <i>et al.</i> | | |
| | | Filing Date: 11/28/00 | Group Art Unit: | |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | |
| 146 | Prekeris and Terrian, "Brain myosin V is a synaptic vesicle-associated motor protein: evidence for a Ca ²⁺ -dependent interaction with the synaptobrevin-synaptophysin complex," <i>J Cell Biol.</i> 137:1589-601 (1997) | | | |
| 147 | Sekine <i>et al.</i> , "A novel microtubule-based motor protein (KIF4) for organelle transports, whose expression is regulated developmentally," <i>J Cell Biol.</i> 127:187-201 (1994) | | | |
| Examiner: | | | Date Considered: 9/2002 | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | |